

Fleet Vehicle and Equipment Specification

Specification # - SUV-FL-4X4 (2-5-2015)

SUV-FL-4X4

Full Size Sport Utility Vehicle with Four (4) Wheel Drive

Ford Expedition

*NOTE - The following specification is the minimum requirements only. The actual awarded vehicle

may include features and options that excede the specification.

Scope This specification details The State of North Carolina's requirement for a full size, four

(4) wheel drive, sport utility vehicle. The full size sport utility vehicle and all required options will be designed and assembled in accordance with all applicable industry standards and comply with all governmental regulations as they apply to the operation of the vehicle described in this specification. This vehicle will be used for general transportation of personnel and light materials associated with the operation of a

government business.

BASE SPECIFICATIONS:

General Wheelbase - 130 - 135 in.

Length (overall) - 220 - 230 in. Weight - 5,500 - 5,800 lbs. GVWR - 7,300 - 7,500 lbs.

GCWR - N/A (6,300 lbs. (towing capacity))

Payload - 1,700 - 1,900 lbs.

Engine 5.3L, OHV, 16 valve, V8 or equivalent

355 HP @ 6,600 RPM (net SAE) 383 lb.-ft. @ 4,100 RPM (net SAE)

Stainless steel exhaust Fuel - Regular 87 octane

Transmission Automatic - Electronic six (6) speed w OD

Rear axle ratio - 3.08 Electronic stability control

Four (4) wheel drive with Active Transfer Case and Autotrac® or equivalent

Brakes Front - Disc : Rear - Disc

ABS (Antilock brake system) four (4) wheel - 4 ABS channels

ABS driveline traction control

Electrical Battery - 720 CCA/80 amp. Hr. (Ah), HD with "rundown" protection

Alternator - 150 amp., heavy duty

Tires "LT" tires (size approved by manufacturer and consistent with offerings on same

model vehicle)

Spare - Full size mounted under body

Wheels Front/Rear - 18.0" X 8.50" steel, argent

Interior Equipment Air conditioning

Color -Gray Seats - Cloth Front - Dual bucket

Second row -60/40 split-bench

Third row - 60/40 split bench (fold into floor)

Safety air bags - Driver and passenger and head-curtain side impact

Driver & passenger head protection air bags

Occupancy sensor

Driver's and passenger's supplemental inflatable restraint system (air bags) as mandated by NHTSA at the time of production.

Standard audio package- AM/FM - Manufacturers standard

Power steering

Cruise control

Tilt steering

Extra entry key (total 2 keys) Keyless Entry

Power door locks

Power windows

Floor mats - Front and rear (rubber) 12v DC power outlets (2)

Low Tire Pressure Warning (TPMS)

Seating capacity - 8

Exterior Equipment Color - White (manufacturer's standard)

Variable intermittent front windshield wipers

Power adjustable outside mirrors Fuel tank - 30.0 - 31.0 gal.

Increased towing capacity (Quote capacity)

Skid plates for protection to underbody components for off-road travel

Emissions ULEV II

OTHER:

Warranty Bumper to Bumper - 36 month/36,000 miles (Basic)

Powertrain - 60 month/60,000 miles

Corrosion Perforation - 60 month/unlimited distance Roadside Assistance - 60 month/60,000 miles Safety Restraint System - 60 month/60,000 miles

Approved Configurations

SUV-FL Two (2) wheel drive

Approved Options (all configurations) CNG/LPG fuel capability - Requirement for engine only capability. Storage, fuel

lines and valving not required but can be quoted upon.

Paint - State of North Carolina DOT Yellow Paint - State of North Carolina Forestry Green

Paint - School Bus Yellow Day time running lights